

FLORAL COLLECTION















DEPARTMENT: FLOR/

The floral department is a beautiful opportunity to enhance the fresh, vital impression of your overall store. We help you make the most of your stock, in its presentation and preservation!

The highly fluctuating nature of the floral department inventory means display units need to be versatile. We offer a number of mobile-friendly shelves, tables and cases to move easily out of the way when not needed and to blend seamlessly with the fixed components. "I have worked with various fixture and millwork suppliers and I must say that Cayuga has provided me with the best product and service of them all."

Sharon Young, McGinnis Sisters Special Food Stores. Pittsburgh, PA

Table of Contents

New York

9

99

Things to Consider	6
Refrigerated FLoral Display	
Three-Level Upright Self-Service Display - 54"H	8
Floral Steps	
Straight - 2 Step	12
Outside Cornter - 2 Step	13
Straight - 3 Step	14
Outside Cornter - 3 Step	15
Wrapping Station	
Floral Carts	16
Nesting Table Set	
Galvanized Top - Large	17
Galvanized Top - Small	18
Pedestal Tables	
Galvanized Top w/ Removable Insert	19
Finishes	
Laminate	20
Painted Metal	22
Wood Stains	23
How to Order	24

THINGS TO CONSIDER

Showcases are designed to display your refrigerated products at 38-41°F (4-5°C). Showcases are designed to perform in environments of maximum 75°F (23°C) and 55% relative humidity.

NOTE: FOR YOUR SHOWCASE TO FUNCTION AT PEAK EFFICIENCY YOU WILL NEED PROPER CLIMATE CONTROL AND AIR CIRCULATION

You need to consider the following when selecting a showcase and placing it in your store environment:

Consider nearby doorways and vestibules

- Consider nearby windows
- Consider nearby vent sources, hoods, cooking equipment and fans
- Ensure your display is level and plumb



A location near a doorway will negatively affect the airflow and holding temperature of both open and closed showcases.



Direct sunlight will negatively affect the holding temperature of both open and closed showcases.



HVAC ceiling vents, exhaust hoods, cooking equipment (steam heat) and ceiling fans will negatively affect the airflow of open showcases and will create condensation on the showcases if not properly managed.



Ensure your showcase is plumb and level to allow for proper drainage of condensation water.

Please note: These are critical points to ensure the best results for your equipment and efficient space - and the best return on your investment!



Regular Maintenance and Cleaning

Your showcase will work at its peak performance with regular maintenance. Refer to the Owner's Manual for maintenance and cleaning instructions.

To access the Owner's manual either visit us at cayugadisplays.com/resources/manuals or access the QR code located on the electrical box of your case. You can also check out our online maintenance video.



Watch our maintenance videos at <u>https://cayugadisplays.com/resources/videos</u>

Leave appropriate
 space behind display

Clean your condenser grill and pre-filter ONLY PRE-CHILLED product in case

A 6" space is required behind any showcase that is against a wall or has a rear obstruction to allow for proper air flow around your showcase.

Use the included brush to regularly wipe away dust. Too much dust will not allow the refrigeration to work properly and could result in **expensive** damage.

Refer to Owner's Manual for additional case cleaning checklist Refrigerated displays are designed to KEEP COLD PRODUCT COLD - they are not designed to bring warm products down to a cold temperature. For food safety it is always imperative that warm product be properly chilled (using a blast chiller or cold room) prior to storing in the refrigerated display case. Self-contained cases have compressors, motors and fans and these will make noise. Keeping your showcase serviced and clean will help keep the noise level under control, improve lifespan, and maintain efficiency.

Noise



Condensation on closed and open cases



Condensation is caused by warm, moist air coming into contact with cool surfaces. If the case environment is not maintained below 75°F/23°C and 55% relative humidity, condensation may occur.




THREE-LEVEL UPRIGHT SELF-SERVICE FLORAL DISPLAY – 54"H

🔑 REFRIGERATED





Custom options available, refer to options schedule on next page.



MODEL	LENGTH
FLP-MRO-24-54	26"
FLP-MRO-38-54	40 ¼"
FLP-MRO-48-54	49 7⁄8"
FLP-MRO-57-54	59 ¾"
FLP-MRO-76-54	78 ½"
FLP-MRO-96-54	97 %"

FEATURES:

- Many exterior finish options available: powdercoat paint, brushed stainless steel, laminates and natural wood finishes
- Textured powdercoat black interior
- Other custom options are offered. Refer to the options schedule on the next page
- Designed to maintain the critical temperature of the products within the display at a range of 38-41°F (3-5°C) with an ambient atmosphere of 75°F (24°C)/55% humidity
- ETL electrical certification and NSF 7 standards
- New R-513A (non-ozone depleting, low global warming potential) refrigerant used in the selfcontained refrigeration system
- The refrigeration system is designed to pull fresh air through a front base vent and exhaust heated air through an integrated vent at the back of the display
- Remote refrigeration available. Contact Cayuga Displays for details

Note: Information and specifications may change due to engineering improvements.





THREE-LEVEL UPRIGHT SELF-SERVICE FLORAL DISPLAY – 54"H

REFRIGERATED

TECHNICAL SPECS					
MODEL	LENGTH	VOLTS	AMPS	NEMA PLUG	
FLP-MRO-24-54	26"	115	11.7	5-15P	
FLP-MRO-38-54	40 ¼"	115	11.7	5-15P	
FLP-MRO-48-54	49 %"	115	11.7	5-15P	
FLP-MRO-57-54	59 ¾"	115/230	8.7	L14-20P	
FLP-MRO-76-54	78 ½"	115/230	12.4	L14-20P	
FLP-MRO-96-54	97 % "	115/230	12.4	L14-20P	

STANDARD FEATURES:

- Textured powdercoat black interior
- Black laminate exterior finish
- Solid End Panels with black interior finish
- The refrigeration system is designed to pull fresh air through a front base vent and exhaust heated air through an integrated vent at the back of the display

CUSTOM FEATURES:

EXTERIOR FINISHES	
Formica laminate finish:	
Other laminate finish (specify):	
Customer laminate choices	
Brushed Stainless Steel	
Oak Veneer Plywood	
- Vertical grain direction	
- Horizontal grain direction	
Birch/Maple Veneer Plywood	
- Vertical grain direction	
- Horizontal grain direction	
Clear finish applied to veneer	
Stain finish Choice:	
1" black McCue impact bumper strip applied to the front of the display	
Other McCue impact bumper strip colors available upon request	

END PANELS

Interior laminate the same as exterior

Tempered glass end panels

1" black McCue impact bumper strip applied to the front of the display

Other McCue impact bumper strip colors available upon request

MISCELLANEOUS

Heavy duty lockable casters

ADDITIONAL FEATURES:

- Designed to maintain the critical temperature of the products within the display at a range of 38-41°F (3-5°C) with an ambient atmosphere of 75°F (24°C)/55% humidity. Designed for holding pre-chilled product only
- Hot gas condensate evaporation system (most units)
- ETL listed and Sanitation certified to NSF-7
- 1 year parts and labor warranty



THREE-LEVEL UPRIGHT SELF-SERVICE FLORAL DISPLAY - 54"H

STANDARD FEATURES SHOWN

CUSTOM FEATURES SHOWN

FLP-MRO-24-54



FINISHES: POWDERCOAT, TEXTURED BLACK

FINISHES:

POWDERCOAT,



FINISHES: LAMINATE, SEASONED PLANKED ELM (8908)

FLP-MRO-38-54





FINISHES: LAMINATE, CINDER WOOD (9643)

FLP-MRO-48-54



FINISHES: POWDERCOAT, **TEXTURED BLÁCK**



FINISHES: LAMINATE, SEASONED PLANKED ELM (8908)

THREE-LEVEL UPRIGHT SELF-SERVICE FLORAL DISPLAY - 54"H

STANDARD FEATURES SHOWN

CUSTOM FEATURES SHOWN

FLP-MRO-57-54







FINISHES:

FLP-MRO-76-54







FLP-MRO-96-54





LAMINATE, CINDER WOOD (9643)

FLORAL STEPS STRAIGHT - 2 STEP



MODEL	DESCRIPTION	LENGTH	DEPTH	HEIGHT
ST2S-006-01C	Floral Step - 48"	47 ½"	24"	29"
ST2S-006-02C	Floral Step - 36"	35 ½"	24"	29"

FEATURES:

- Birch/maple plywood & galvanized metal step top
- Levelers
- ABS bumper


OPTIONS:


• Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.



Danish Walnut finish shown. Other finishes available - see chart.






02/23/23

Cayuga FLORAL

FLORAL STEPS OUTSIDE CORNER - 2 STEP



	MODEL	DESCRIP- TION	LENGTH	DEPTH	HEIGHT
s	5T2S-008-01B	Floral Step Outside Corner	24"	24"	29"


FEATURES:

- Birch/maple plywood & galvanized metal step top
- Levelers
- ABS bumper

OPTIONS:

• Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.



02/23/23


Cayuga Floral

FLORAL STEPS STRAIGHT - 3 STEP





Oiled Cherry finish shown. Other finishes
available - see chart.



MODEL	DESCRIP- TION	LENGTH	DEPTH	HEIGHT
ST3S-006-01C	Floral Step - 48"	47 ½"	36"	41"
ST3S-006-02C	Floral Step - 36"	35 ½"	36"	41"

FEATURES:

- Birch/maple plywood & galvanized metal step top
- Levelers
- ABS bumper

OPTIONS:


• Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.



Cayuga FLORAL

FLORAL STEPS OUTSIDE CORNER - 3 STEP



MODEL	DESCRIP- TION	LENGTH	DEPTH	HEIGHT
ST3S-008-01B	Floral Step Outside Corner	36"	36"	41"


FEATURES:

- Birch/maple plywood & galvanized metal step top
- Levelers
- ABS bumper

OPTIONS:

• Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.



WRAPPING STATION FLORAL CARTS




Clear finish shown

CRWS-002-01C

CRWS-001-01B



Weathered Wood finish shown. Other finishes available see chart.



MODEL	DESCRIP- TION	LENGTH	DEPTH	HEIGHT
CRWS-001-01B	Floral Wrapping Cart	37"	23"	36"
CRWS-002-01C	Floral Wrapping Cart w/ Bag holder	37"	24"	53"


FEATURES:

- Birch/maple plywood & melamine drawers construction w/ laminated counter top
- Heavy duty casters (2 locking)
- Two fixed shelves & pull out lower shelf
 CRWS-002-01C
 - CRWS-002-01C - Metal dispenser designed to hold floral wrap
- ABS bumper

OPTIONS:

Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.



Cayuga Floral

NESTING TABLE SET GALVANIZED TOP - LARGE



MODEL	DESCRIPTION	LENGTH	DEPTH	HEIGHT
TBST-016-01F	3 Piece N	3 Piece Nesting Table Set - Large		
TBFL-020-01E	Nesting Table - Large	47 ½"	18"	30"
TBFL-021-01E	Nesting Table - Medium	38 ½"	18"	25"
TBFL-022-01E	Nesting Table - Small	29 ½"	18"	20"


FEATURES:

- Birch/maple plywood and solid maple construct with galvanized tops
- Leg caps
- Tack glides

OPTIONS:

- Bumper, corner guards
- Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.



TBST-016-01F



NESTING TABLE SET GALVANIZED TOP - SMALL



MODEL	DESCRIPTION	LENGTH	DEPTH	HEIGHT
TBST-016-01E	3 Piece Nesting Table Set - Small			
TBFL-017-01E	Nesting Table - Large	47 ½"	14"	30"
TBFL-018-01E	Nesting Table - Medium	38 ½"	14"	25"
TBFL-019-01E	Nesting Table - Small	29 ½"	14"	20"

FEATURES:


- Birch/maple plywood and solid maple construct with galvanized tops
- Leg caps
- Tack glides

OPTIONS:

- Bumper, corner guards
- Refer to Wood Stains Finishes

Note: Information and specifications may change due to engineering improvements.

Concerto finish shown. Other finishes available - see chart.



TBST-016-01E



PEDESTAL TABLES GALVANIZED TOP WITH REMOVABLE INSERT

Removable Insert

Galvanized Top w/ Removable Insert



Clear finish shown



FEATURES:

- Birch/maple plywood and solid maple construct with galvanized tops & insert
- Leg caps
- Tack glides
- Removable insert to accommodate pots

OPTIONS:


- Bumper, corner guards
- Refer to Wood Stains Finishes

Flower pots not supplied

Note: Information and specifications may change due to engineering improvements.




Selcet Cherry finish shown. Other finishes available - see chart.




TBFL-026-01C

Cayuga FLORAL







02/23/23





Formica[®] Laminate

Formica Group provides surfaces that fuse beautiful design with purposeful functionality. Formica^{*} Products provide versatile surfacing solutions that are inspired by and adapt to the way people live, work and play.

Formica[®] Brand Laminate offers a broader range of looks than ever before. Transform spaces with our modern laminates that are as beautiful as they are durable. Mix and match solids, patterns and finishes.


Product Features:

- Postforming
- Durable and Wear-resistant
- Horizontal and Vertical
- Impact Resistant

Formica[®] EliteForm

Our innovative Formica^{*} EliteForm surfacing technology redefines the performance attributes of high pressure laminate to deliver a more durable laminate for today's market. Formica^{*} Laminate with EliteForm features superior scratch resistance over other laminate brands, the ability to postform to a smaller radius with better blister resistance, and more durable, long-lasting surfaces, including the Gloss texture in horizontal applications. EliteForm comes standard on all Formica^{*} Laminates, at no additional cost.

Price Group One: All Colours are matte (-58) finish



Price Group Two: All Colours are matte finish



6997 Pale Brushstroke



6998 Wood Brushstroke

9285



7813 Cardboard Solidz



9319 Stainless



503 Stone Grafix







8916 Blackened Fiberwood



7759 Select Cherry



8841 White Ash

9310





86992 Hardrock Maple





Camel Elm

6698

Paloma Pear



8677 Scandi Rift Oak





8845

6995 Cherry Walnut



Formica Canada Inc. is located in St-jean-sur-Richelieu, Quebec, and employs more than 250 people.

Formica Canada is proud to be part of the Well Made Here local purchasing program.

As the inventor of high pressure laminate, Formica Corporation has always worked to provide innovative, high quality products. Efficient use of resources is at our core, and we have taken many steps to improve our environmental footprint - from reusing the water in our presses to incorporating recycled materials into our surfacing products. We are committed to a long-term planning horizon that includes becoming an industry-leading environmental steward.



For larger laminate sample, please visit: cayugadisplays.com 1-800-839-5536 formica.com 1-800-FORMICA[™]

PAINTED METAL

CAYUGA STOCK COLOURS



Cayuga black and white colours come in a textured finish.

Matte finish is available upon request.

Cayuga Black

Cayuga White

RAL STOCK COLOURS





- Standard products in stock
- RAL Program colours not listed are also available upon request
- Non-RAL Program colours have long lead times and could affect deliver date

WOOD STAINS

CAYUGA STANDARD WOOD GRAINS



Refer to physical swatches for a true representation of colors, above images may appear slightly different than actual samples.



HOW TO ORDER

We'll help you select the right case for your requirements. The steps below will help us to serve you best.

Choose the showcase that meets your display requirements from the product specification sheets.

Review the options table found on the specification sheet and make your selections of the options provided.

Select from the large pallet of colours found on the last five pages of the brochure, or choose a stainless steel, standard black or white for the exterior finish of your showcase.

E-mail your request for a quote to your Cayuga sales representative or sales@cayugadisplays.com and we will quickly respond to your request. Please include your full contact information in case we have any questions.

Contact the inside sales team


Cayuga Displays

2

E: sales@cayugadisplays.com T: 1-800-839-5536 F: 1-905-772-3179



T: 800.839.5536 F: 905.772.3179
E: sales@cayugadisplays.com
A: 88 Talbot St E, PO Box 130 Cayuga, ON NOA 1E0



Published 03/18/2024